



PSENmag – Discontinuation of selected item numbers

Dear Sir/Madam,

We are writing to inform you that selected PSENmag products are to be discontinued.

Selected PSENmag products have been revised to avoid a price increase for these products. The old products will now be discontinued.

1. Discontinuation affects the following item numbers:

Old product (item number, short text)	
Unit	
502210	PSEN 2.1p-10/PSEN2.1-10/3mm 1unit
502211	PSEN 2.1p-11/PSEN2.1-10/LED/3mm/ 1unit
502230	PSEN 2.1p-30/PSEN2.1-10/6mm 1unit
502231	PSEN 2.1p-31/PSEN2.1-10/LED/6mm 1unit
502234	PSEN 2.1p-34/PSEN 2.1-10/6mm/LED/ATEX
504210	PSEN 1.1p-10/PSEN 1.1-10/3mm 1unit
504212	PSEN 1.1p-12/PSEN 1.1-10/3mm/ix1/ 1unit
Switch	
522110	PSEN 2.1p-10 / 3mm / 1 switch
522111	PSEN 2.1p-11 / LED/ 3mm/1 switch
522130	PSEN 2.1p-30 /6mm 1 switch
522131	PSEN 2.1p-31/LED/6mm/1 switch
524110	PSEN 1.1p-10/3mm 1 switch
524112	PSEN 1.1p-12/3mm/ix1/ 1 switch

the spirit of safety



Pilz Polska Sp. z o.o. ul. Ruchliwa 15, 02-182 Warszawa
Regon 140891542, NIP 524-26-06-447, KRS 0000278475
tel.: +48 22 8847 100 fax: + 48 22 8847 109
email:office@pilz.pl, www.pilz.pl
Konto bankowe BZ WBK S.A.13 1090 1056 0000 0001 0666 2466

Biuro regionalne w Gliwicach:
ul. Dubois 16, 44-101 Gliwice
tel. +48 32 777 53 14, fax. +48 32 777 53 15



2. Upgrade list

Old product (item number, short text)		Successor (item number, short text)	
Unit			
502210	PSEN 2.1p-10/PSEN2.1-10/3mm 1unit	506405	PSEN ma2.1p-10/PSEN2.1-10/3mm/1unit
502211	PSEN 2.1p-11/PSEN2.1-10/LED/3mm/ 1unit	506406	PSEN ma2.1p-11/PSEN2.1-10/LED/3mm/1unit
502230	PSEN 2.1p-30/PSEN2.1-10/6mm 1unit	506407	PSEN ma2.1p-30/PSEN2.1-10/6mm/1unit
502231	PSEN 2.1p-31/PSEN2.1-10/LED/6mm 1unit	506408	PSEN ma2.1p-31/PSEN2.1-10/LED/6mm/1unit
502234	PSEN 2.1p-34/PSEN 2.1-10/6mm/LED/ATEX	506413	PSEN ma2.1p-34/PSEN 2.1-10/6mm/LED/ATEX
504210	PSEN 1.1p-10/PSEN 1.1-10/3mm 1unit	506411	PSEN ma1.1p-10/PSEN1.1-10/3mm/1unit
504212	PSEN 1.1p-12/PSEN 1.1-10/3mm/ix1/ 1unit	506412	PSEN ma1.1p-12/PSEN1.1-10/3mm/ix1/1unit
Switch			
522110	PSEN 2.1p-10 / 3mm / 1 switch	506400	PSEN ma2.1p-10/3mm/1switch
522111	PSEN 2.1p-11 / LED/ 3mm/1 switch	506401	PSEN ma2.1p-11/LED/3mm/1switch
522130	PSEN 2.1p-30 /6mm 1 switch	506402	PSEN ma2.1p-30/6mm/1switch
522131	PSEN 2.1p-31/LED/6mm/1 switch	506403	PSEN ma2.1p-31/LED/6mm/1switch
-	-	506404	PSEN ma2.1p-34/6mm/LED/ATEX 1switch
524110	PSEN 1.1p-10/3mm 1 switch	506409	PSEN ma1.1p-10/3mm/1switch
524112	PSEN 1.1p-12/3mm/ix1/ 1 switch	506410	PSEN ma1.1p-12/3mm/ix1/1switch

the spirit of safety



Pilz Polska Sp. z o.o. ul. Ruchliwa 15, 02-182 Warszawa
Regon 140891542, NIP 524-26-06-447, KRS 0000278475
tel.: +48 22 8847 100 fax: + 48 22 8847 109
email:office@pilz.pl, www.pilz.pl
Konto bankowe BZ WBK S.A.13 1090 1056 0000 0001 0666 2466

Biuro regionalne w Gliwicach:
ul. Dubois 16, 44-101 Gliwice
tel. +48 32 777 53 14, fax. +48 32 777 53 15



3. Functions at a glance

	Old products	New products	Comment
	PSEN 1.1p / PSEN 2.1p	PSEN ma1.1p / PSEN ma2.1p	
Operating distances	3mm, 6mm	3mm, 6mm	Same
Typ. hysteresis	4mm / 4mm, 6mm	4mm/2mm	Better
External dimensions	36 x 26 x 13 mm	36 x 26 x 13 mm	Same
Operating temperatures	-25 ... 70°C	-25 ... 70°C	Same
B10d values	0.5 m / 2 m	10 m, 1.4 m / 2 m	Better
Switching frequency	1 Hz	10 Hz	Better
Protection type	IP 67	IP 67	Same

Compared with the old products, the functionality of the new products is at least equal or better. This makes it easier to convert to the new product. There is no need for a new CE test to be carried out when converting. All that's needed is to document in the risk assessment that the product conversion has not changed the safety function assessment.

the spirit of safety



Pilz Polska Sp. z o.o. ul. Ruchliwa 15, 02-182 Warszawa
Regon 140891542, NIP 524-26-06-447, KRS 0000278475
tel.: +48 22 8847 100 fax: + 48 22 8847 109
email:office@pilz.pl, www.pilz.pl
Konto bankowe BZ WBK S.A.13 1090 1056 0000 0001 0666 2466

Biuro regionalne w Gliwicach:
ul. Dubois 16, 44-101 Gliwice
tel. +48 32 777 53 14, fax. +48 32 777 53 15